


# Pignoni ASA 35

**3/8" x 3/16"**  
**9,525 x 4,77 mm**  
**06C 1 - 2**

per catene a rulli secondo  
DIN 8187

ISO/R 606 - ANSI B 29.1





## PIGNONE mm

Raggio dente $r_3$	10
Larghezza raggio C	1,2
Largh. dente pign. $B_1$	4,4
Largh. dente pign. $b_1$	4,3
Largh. dente pign. $B_2$	14,4
Mat. C43 UNI 7847	

## CATENA mm

Passo	9,525
Largh. interna	4,77
Rullo - $\emptyset$	5,08

z	$d_e$	$d_p$	S			D			T		
			$d_m$	$D_1$	A	$d_m$	$D_2$	A	$d_m$	$D_3$	A
10	35,70	30,82	20	8	22						
11	38,69	33,80	22	8	25						
12	41,68	36,80	25	8	25						
13	44,68	39,80	28	10	25						
14	47,68	42,80	31	10	25	28	10	25			
15	50,69	45,81	34	10	25	34	10	25			
16	53,70	48,82	37	10	28	37	12	30			
17	56,72	51,83	38	10	28	40	12	30			
18	59,73	54,85	38	10	28	43	12	30			
19	62,75	57,87	46	10	28	46	12	30			
20	65,77	60,89	46	10	28	49	12	30			
21	68,79	63,91	46	10	28	52	12	30			
22	71,81	66,93	52	12	28	55	12	30			
23	74,83	69,95	52	12	28	58	12	30			
24	77,85	72,97	52	12	28	61	12	30			
25	80,88	76,00	58	12	28	64	12	30			
26	83,90	79,02	58	12	28	67	12	30			
27	86,93	82,04	58	12	28	70	12	30			
28	89,95	85,07	60	12	28	73	12	30			
30	96,00	91,12	60	12	28						




# Corone ASA 35

**3/8" x 3/16"**  
**9,525 x 4,77 mm**  
**06C 1 - 2**

per catene a rulli secondo  
DIN 8187

ISO/R 606 - ANSI B 29.1





## CORONA mm

Raggio dente $r_3$	10
Larghezza raggio C	1,2
Largh. dente coro $B_1$	4,4
Largh. dente coro $b_1$	4,3
Largh. dente coro $B_2$	14,4

## CATENA mm

Passo	9,525
Largh. interna	4,77
Rullo - $\emptyset$	5,08

z	$d_e$	$d_p$	S			z	$d_e$	$d_p$	S			z	$d_e$	$d_p$	S		
			$D_1$	$D_2$	$D_3$				$D_1$	$D_2$	$D_3$				$D_1$	$D_2$	$D_3$
30	96,00	91,12		12													
32	102,06	97,17	12														
36	114,17	109,29	12														
38	120,22	115,34	12	14													
40	126,28	121,40	12														
45	141,43	136,55	16	16													
48	150,52	145,64	16														
57	177,79	172,91	16	16													
76	235,37	230,49	20	20													




# Pignoni ASA 40

## 1/2" x 5/16"

### 12,7 x 7,94 mm

#### 08A - 1 - 2 - 3




per catene a rulli  
secondo DIN 8187  
ISO/R 606 - ANSI B 29.1



PIGNONE	mm
Raggio dente $r_3$	13,5
Larghezza raggio C	1,6
Largh. dente pign. $B_1$	7,4
Largh. dente pign. $b_1$	7,2
Largh. dente pign. $B_2$	21,6
Largh. dente pign. $B_3$	36
Mat. C43 UNI 7847	

CATENA	mm
Passo	12,7
Largh. interna	7,94
Rullo - $\emptyset$	7,94

z	$d_e$	$d_p$	S			D			T		
			$d_m$	$D_1$	A	$d_m$	$D_2$	A	$d_m$	$D_3$	A
10	47,66	41,10	26	10	25						
11	51,64	45,08	29	10	25						
12	55,63	49,07	35	10	28						
13	59,63	53,07	35	10	28	35	14	50			
14	63,63	57,07	35	10	28	38	12	35	38	14	50
						42	12	35	42	14	50
15	67,64	61,08	46	10	28	46	12	35	46	14	50
16	71,66	65,10	48	10	28	50	14	35	50	16	50
17	75,68	69,12	48	10	28	54	14	35	54	16	50
18	79,70	73,14	58	12	28	58	14	35	58	16	50
19	83,72	77,16	60	12	28	62	14	35	62	16	50
20	87,74	81,18	60	12	28	66	14	35	66	16	50
21	91,77	85,21	65	12	28	70	16	40	70	20	55
22	95,80	89,24	65	12	28	70	16	40	70	20	55
23	99,83	93,27	65	12	28	70	16	40	70	20	55
24	103,86	97,30	70	14	28	75	16	40	75	20	55
25	107,89	101,33	70	14	28	80	16	40	80	20	55
26	111,92	105,36	70	14	28	85	20	40	85	20	55
27	115,96	109,40	70	16	30	85	20	40	85	20	55
28	119,99	113,43	70	16	30	90	20	40	90	20	55
30	128,06	121,50	80	16	30	100	20	40			




# Corone ASA 40

## 1/2" x 5/16"

### 12,7 X 3,3 mm

#### 08A - 1 - 2 - 3




per catene a rulli  
secondo DIN 8187  
ISO/R 606



CORONA	mm
Raggio dente $r_3$	13,5
Larghezza raggio C	1,6
Largh. dente cor. $B_1$	7,4
Largh. dente cor. $b_1$	7,2
Largh. dente cor. $B_2$	21,6
Largh. dente cor. $B_3$	36

CATENA	mm
Passo	12,7
Largh. interna	7,94
Rullo - $\emptyset$	7,94

z	$d_e$	$d_p$	S			z	$d_e$	$d_p$	D			T		
			$D_1$	$D_2$	$D_3$				$D_1$	$D_2$	$D_3$			
30	128,06	121,50												
32	136,13	129,57		16	20									
38	160,35	153,79		20	25									
40	168,43	161,87		20	25									
42	176,50	169,94	20											
45	188,62	182,06	20	20	25									
48	200,74	194,18	20	25	25									
57	237,10	230,54	20	25	25									
76	313,88	307,32	25	25	25									
95	390,67	384,11	25	25	25									



# Pignoni ASA 50

5/8" x 3/8"


15,875 x 9,52 mm

10A 1 - 2 - 3

per catene a rulli

secondo DIN 8187

ISO/R 606 - ANSI B 29.1



## PIGNONE mm

Raggio dente  $r_3$  17

Larghezza raggio C 2

Largh. dente pign.  $B_1$  9

Largh. dente pign.  $b_1$  8,8

Largh. dente pign.  $B_2$  26,9

Largh. dente pign.  $B_3$  45

Mat. C43 UNI 7847




## CATENA mm

Passo 15,875

Largh. interna 9,52

Rullo -  $\emptyset$  10,16

z	$d_e$	$d_p$	S			D			T		
			$d_m$	$D_1$	A	$d_m$	$D_2$	A	$d_m$	$D_3$	A
8	47,0	41,48	25	10	25						
9	52,6	46,42	30	10	25						
10	57,5	51,37	35	10	25						
11	63,0	56,34	37	12	30						
12	68,0	61,34	42	12	30				44	16	55
13	73,0	66,32	47	12	30	49	14	40	49	16	55
14	78,0	71,34	52	12	30	54	14	40	54	16	55
15	83,0	76,36	57	12	30	59	14	40	59	16	55
16	88,0	81,37	60	12	30	64	16	45	64	16	60
17	93,0	86,39	60	12	30	69	16	45	69	16	60
18	98,3	91,42	70	14	30	74	16	45	74	16	60
19	103,3	96,45	70	14	30	79	16	45	79	16	60
20	108,4	101,49	75	14	30	84	16	45	84	16	60
21	113,4	106,52	75	16	30	85	16	45	85	20	60
22	118,0	111,55	80	16	30	90	16	45	90	20	60
23	123,4	116,58	80	16	30	95	16	45	95	20	60
24	128,3	121,62	80	16	30	100	16	45	100	20	60
25	134,0	126,66	80	16	30	105	16	45	105	20	60
26	139,0	131,70	85	20	35				110	20	60
27	144,0	136,75	85	20	35				110	20	60
28	148,7	141,78	90	20	35				115	20	60
29	153,8	146,83	90	20	35						
30	158,8	151,87	90	20	35						
31	163,9	156,92	95	20	35						
32	168,9	161,95	95	20	35						
33	174,5	167,00	95	20	35						
34	179,0	172,05	95	20	35						
35	184,1	177,10	95	20	35						
36	189,1	182,15	100	20	35						
37	194,2	187,20	100	20	35						
38	199,2	192,24	100	20	35						
39	204,2	197,29	100	20	35						
40	209,3	202,34	100	20	35						



# Corone ASA 50

5/8" x 3/8"


15,875 x 9,52 mm

10A 1 - 2

per catene a rulli

secondo DIN 8187

ISO/R 606 - ANSI B 29.1



## CORONA mm

Raggio dente  $r_3$  17

Larghezza raggio C 2

Largh. dente cor.  $B_1$  9

Largh. dente cor.  $b_1$  8,8

Largh. dente cor.  $B_2$  26,9

Largh. dente cor.  $B_3$  45




## CATENA mm

Passo 15,875

Largh. interna 9,52

Rullo -  $\emptyset$  10,16

z	$d_e$	$d_p$	S			z	$d_e$	$d_p$	T		
			$D_1$	$D_2$	$D_3$				$D_1$	$D_2$	$D_3$
8	47,0	41,48	10			44	230,0	222,53	20		
9	52,6	46,42	10			45	235,0	227,58	20	20	25
10	57,5	51,37	10			46	240,1	232,63	20		
11	63,0	56,34	10			47	245,1	237,68	20		
12	68,0	61,34	10			48	250,2	242,73	20		
13	73,0	66,32	10			49	255,2	247,78	20		
14	78,0	71,34	10			50	260,3	252,82	20		
15	83,0	76,36	10			51	265,3	257,87	20		
16	88,0	81,37	12			52	270,4	262,92	20		
17	93,0	86,38	12			53	275,4	267,97	20		
18	98,3	91,42	12			54	280,5	273,03	20		
19	103,3	96,45	12			55	285,5	278,08	20		
20	108,4	101,49	12			56	290,6	283,13	25	25	25
21	113,4	106,52	12			57	296,0	288,18	25		
22	118,0	111,55	12			58	300,7	293,23	25		
23	123,5	116,58	12			59	305,7	298,27	25		
24	128,3	121,62	12			60	310,8	303,32	25		
25	134,0	126,66	12			62	321,4	313,43	25		
26	139,0	131,70	16			64	331,5	323,53	25		
27	144,0	136,75	16			65	336,5	328,58	25		
28	148,7	141,78	16			66	341,6	333,63	25		
29	153,8	146,83	16			68	351,7	343,74	25		
30	158,8	151,87	16	20	20	70	361,8	353,84	25		
31	163,9	156,92	16			72	371,9	363,95	25		
32	168,9	161,95	16			75	387,1	379,09	25		
33	174,5	167,00	16			76	392,1	384,16	25	25	30
34	179,0	172,05	16			78	402,2	394,25	25		
35	184,1	177,10	16			80	412,3	404,35	25		
36	189,1	182,15	20			85	437,6	429,62	30		
37	194,2	187,20	20			90	462,8	454,88	30		
38	199,2	192,24	20	20	25	95	488,5	480,14	30	30	
39	204,2	197,29	20			100	513,4	505,39	30		
40	209,3	202,34	20			110	563,9	555,92	30		
41	214,8	207,39	20			114	584,1	576,13	30		
42	219,9	212,44	20			120	614,4	606,45	30		
43	224,9	217,49	20			125	639,7	631,51	30		



# Pignoni ASA 60


## 3/4" x 1/2"

### 19,05 x 12,7 mm

#### 12A - 1 - 2 - 3

per catene a rulli  
secondo DIN 8187

ISO/R 606 - ANSI B 29.1






#### PIGNONE mm

Raggio dente $r_3$	20
Larghezza raggio C	2,4
Largh. dente pign. $B_1$	12,0
Largh. dente pign. $b_1$	11,8
Largh. dente pign. $B_2$	34,6
Largh. dente pign. $B_3$	57,4
Mat. C43 UNI 7847	

#### CATENA mm

Passo	19,05
Largh. interna	12,7
Rullo - $\emptyset$	11,91

z	$d_e$	$d_p$	S			D			T		
			$d_m$	$D_1$	A	$d_m$	$D_2$	A	$d_m$	$D_3$	A
10	71,54	61,64	42	12	30	42	12	45			
11	77,51	67,61	45	12	30	47	16	50			
12	83,49	73,61	45	12	30	53	16	50	53	20	70
13	89,49	79,59	60	14	35	59	16	50	59	20	70
14	95,50	85,61	60	14	35	65	16	50	65	20	70
15	101,52	91,63	60	14	35	71	16	50	71	20	70
16	107,54	97,65	75	16	35	77	20	50	77	20	70
17	113,56	103,67	75	16	35	83	20	50	83	20	70
18	119,59	109,71	75	16	35	89	20	50	89	20	70
19	125,63	115,75	80	16	35	95	20	50	95	20	70
20	131,67	121,78	80	16	35	100	20	50	100	20	70
21	137,71	127,82	80	16	35	100	20	50	100	20	70
22	143,75	133,86	90	20	40	100	20	50	100	20	70
23	149,79	139,90	90	20	40	110	20	50	110	20	70
24	155,84	145,94	90	20	40	110	20	50	110	20	70
25	161,88	152,00	90	20	40	120	20	50	120	20	70
26	167,93	158,04	90	20	40	120	20	50			
27	173,98	164,09	90	20	40	120	20	50			
28	180,03	170,13	95	20	40	120	20	50			
30	192,14	182,25	95	20	40	120	20	50			



# Corone ASA 60


## 3/4" x 1/2"

### 19,05 x 12,7 mm

#### 12A 1 - 2

per catene a rulli  
secondo DIN 8187

ISO/R 606 - ANSI B 29.1






#### CORONA mm

Raggio dente $r_3$	20
Larghezza raggio C	2,4
Largh. dente cor. $B_1$	12,0
Largh. dente cor. $b_1$	11,8
Largh. dente cor. $B_2$	34,6
Largh. dente cor. $B_3$	57,4

#### CATENA mm

Passo	19,05
Largh. interna	12,7
Rullo - $\emptyset$	11,91

z	$d_e$	$d_p$	S	D	T	z	$d_e$	$d_p$	S	D	T
			$D_1$	$D_2$	$D_3$				$D_1$	$D_2$	$D_3$
30	192,14	182,25	20								
32	204,24	194,35	20								
38	240,58	230,69	20	25	25						
40	252,69	242,80	20	25							
45	282,98	273,09	25	25	25						
48	301,16	291,27	25								
57	355,70	345,81	25	25	30						
76	470,87	460,98	30	30	30						
95	586,06	576,17	30								



# Pignoni ASA 80

1" x 5/8"


25,4 x 15,88 mm

16A 1 - 2 - 3

per catene a rulli

secondo DIN 8187

ISO/R 606 - ANSI B 29.1



## PIGNONE mm

Raggio dente  $r_3$  27

Larghezza raggio C 3,2

Largh. dente pign.  $B_1$  15,0

Largh. dente pign.  $b_1$  14,7

Largh. dente pign.  $B_2$  44,0

Largh. dente pign.  $B_3$  73,3

Mat. C43 UNI 7847




## CATENA mm

Passo 25,4

Largh. interna 15,88

Rullo -  $\emptyset$  15,88

z	$d_e$	$d_p$	S			D			T		
			$d_m$	$D_1$	A	$d_m$	$D_2$	A	$d_m$	$D_3$	A
8	79,49	66,37	42	16	35						
9	87,38	74,27	50	16	35						
10	95,32	82,19	55	16	35						
11	103,28	90,14	61	16	40						
12	111,26	98,14	69	16	40	72	20	70	72	25	100
13	119,26	106,12	78	16	40	78	20	70	78	25	100
14	127,27	114,15	84	16	40	86	20	70	86	25	100
15	135,29	122,17	92	16	40	94	20	70	94	25	100
16	143,32	130,20	100	20	45	102	20	70	102	30	100
17	151,35	138,22	100	20	45	110	20	70	110	30	100
18	159,39	146,28	100	20	45	118	20	70	118	30	100
19	167,44	154,33	100	20	45	126	20	70	126	30	100
20	175,49	162,38	100	20	45	130	20	70	130	30	100
21	183,54	170,43	110	20	50	130	25	70			
22	191,60	178,48	110	20	50						
23	199,66	186,53	110	20	50						
24	207,72	194,59	110	20	50						
25	215,78	202,66	110	20	50						
26	223,84	210,72	120	20	50						
27	231,91	218,79	120	20	50						
28	239,98	226,85	120	20	50						
29	248,05	234,92	120	20	50						
30	256,12	243,00	120	20	50						



# Corone ASA 80

1" x 5/8"


25,4 x 15,88 mm

16A 1 - 2 - 3

per catene a rulli

secondo DIN 8187

ISO/R 606 - ANSI B 29.1



## CORONA mm

Raggio dente  $r_3$  27

Larghezza raggio C 3,2

Largh. dente cor.  $B_1$  15,0

Largh. dente cor.  $b_1$  14,7

Largh. dente cor.  $B_2$  44,0

Largh. dente cor.  $B_3$  73,3




## CATENA mm

Passo 25,4

Largh. interna 15,88


Rullo -  $\emptyset$  15,88

z	$d_e$	$d_p$	S	D	T	z	$d_e$	$d_p$	S	D	T
			$D_1$	$D_2$	$D_3$				$D_1$	$D_2$	$D_3$
10	95,32	82,19	15								
11	103,28	90,14	15								
12	111,26	98,14	15								
13	119,26	106,12	15								
14	127,27	114,15	15								
15	135,29	122,17	15								
16	143,32	130,20	19								
17	151,35	138,22	19								
18	159,39	146,28	19								
19	167,44	154,33	19								
20	175,49	162,38	19								
21	183,54	170,43	20								
22	191,60	178,48	20								
23	199,66	186,53	20								
24	207,72	194,59	20								
25	215,78	202,66	20	25	30						
26	223,84	210,72	20								
27	231,91	218,79	20								
28	239,98	226,85	20								
30	256,12	243,00	20	25	30						
32	272,26	259,13	25								
35	296,48	283,36	25								
38	320,70	307,59	25	25	30						
45	377,24	364,12	25	25	30						
50	417,64	404,52	25								
57	474,20	461,08	25	25	40						
76	627,80	614,64	25	25	40						



# Pignoni ASA 100 1"1/4 x 3/4" 31,75 x 19,05 mm 20A 1 - 2




per catene a rulli  
secondo DIN 8187  
ISO/R 606 - ANSI B 29.1



PIGNONE	mm
Raggio dente $r_3$	33,5
Larghezza raggio C	4
Largh. dente pign. $B_1$	18,0
Largh. dente pign. $b_1$	17,7
Largh. dente pign. $B_2$	53,5
Largh. dente pign. $B_3$	89,2
Mat. C43 UNI 7847	


CATENA	mm
Passo	31,75
Largh. interna	19,05
Rullo - $\emptyset$	19,05

z	$d_e$	$d_p$	S			D			T		
			$d_m$	$D_1$	A	$d_m$	$D_2$	A	$d_m$	$D_3$	A
8	98,1	82,96	53	20	40						
9	108,0	92,84	63	20	40						
10	117,9	102,74	70	20	40						
11	127,8	112,68	77	20	45						
12	137,8	122,68	88	20	45	90	20	80			
13	147,8	132,65	98	20	45	100	20	80			
14	157,8	142,68	108	20	45	110	20	80			
15	167,9	152,72	118	20	45	120	20	80			
16	177,9	162,75	120	25	50	120	25	80			
17	187,9	172,78	120	25	50	120	25	80			
18	198,0	182,85	120	25	50						
19	208,1	192,91	120	25	50						
20	218,1	202,98	120	25	50						
21	228,2	213,04	140	25	55						
22	238,3	223,11	140	25	55						
23	248,3	233,17	140	25	55						
24	258,4	243,23	140	25	55						
25	268,5	253,33	140	25	55						



# Corone ASA 100 1"1/4 x 3/4" 31,75 x 19,05 mm 20A 1 - 2




per catene a rulli  
secondo DIN 8187  
ISO/R 606 - ANSI B 29.1



CORONA	mm
Raggio dente $r_3$	33,5
Larghezza raggio C	4
Largh. dente cor. $B_1$	18,0
Largh. dente cor. $b_1$	17,7
Largh. dente cor. $B_2$	53,5
Largh. dente cor. $B_3$	89,2

CATENA	mm
Passo	31,75
Largh. interna	19,05
Rullo - $\emptyset$	19,05


z	$d_e$	$d_p$	S	D	T	z	$d_e$	$d_p$	S	D	T
			$D_1$	$D_2$	$D_3$				$D_1$	$D_2$	$D_3$
8	98,1	82,96	16								
9	108,0	92,84	16								
10	117,9	102,74	16								
11	127,8	112,68	16								
12	137,8	122,68	20								
13	147,8	132,65	20								
14	157,8	142,68	20								
15	167,9	152,72	20								
16	177,9	162,75	25								
17	187,9	172,78	25								
18	198,0	182,85	25								
19	208,1	192,91	25	25							
20	218,1	202,98	25	25							
21	228,2	213,04	25	25							
22	238,3	223,11	25	25							
23	248,3	233,17	25								
24	258,4	243,23	25								
25	268,5	253,33	25	25							
26	278,6	263,40	25	25							
27	288,6	273,40	25	25							
28	298,7	283,56	25								
29	308,8	293,65	25								
30	318,9	303,75	25	25							
31	329,0	313,85	25	25							
32	339,1	323,91	25	25							
33	349,2	334,01	25								
34	359,3	344,10	25								
35	369,4	354,20	25								
36	379,5	364,30	25								
37	389,5	374,39	25								
38	399,6	384,49	25	30							
39	409,7	394,59	25	30							
40	419,8	404,68	25	30							
45	470,3	455,17	30	30							
57	591,5	576,36	30	30							



# Pignoni ASA 120 1"1/2 x 1"

38,1 x 25,4 mm  
24A 1 - 2

per catene a rulli  
secondo DIN 8187  
ISO/R 606 - ANSI B 29.1





## PIGNONE mm

Raggio dente $r_3$	40,5
Larghezza raggio C	4,8
Largh. dente pign. $B_1$	24,1
Largh. dente pign. $b_1$	23,6
Largh. dente pign. $B_2$	69,0
Mat. C43 UNI 7847	

## CATENA mm

Passo	38,1
Largh. interna	25,4
Rullo - $\emptyset$	22,22


z	$d_e$	$d_p$	S			D			T		
			$d_m$	$D_1$	A	$d_m$	$D_2$	A	$d_m$	$D_3$	A
8	119,04	99,55	58	20	45						
9	130,88	111,40	70	20	45						
10	142,77	123,29	80	20	45						
11	154,71	135,21	90	25	50						
12	166,69	147,22	102	25	50	102	25	100			
13	178,68	159,18	114	25	50	114	25	100			
14	190,70	171,22	128	25	50	128	25	100			
15	202,73	183,26	140	25	50	140	25	100			



# Corone ASA 120 1"1/2 x 1"

38,1 x 25,4 mm  
24A 1 - 2

per catene a rulli  
secondo DIN 8187  
ISO/R 606 - ANSI B 29.1



## CORONA mm

Raggio dente $r_3$	40,5
Larghezza raggio C	4,8
Largh. dente cor. $B_1$	24,1
Largh. dente cor. $b_1$	23,6
Largh. dente cor. $B_2$	69,0

## CATENA mm

Passo	38,1
Largh. interna	25,4
Rullo - $\emptyset$	22,22

z	$d_e$	$d_p$	S	D	T	z	$d_e$	$d_p$	S	D	T
			$D_1$	$D_2$	$D_3$				$D_1$	$D_2$	$D_3$
16	214,77	195,29	25								
17	226,83	207,35	25	25							
18	238,89	219,41	25	25							
20	263,03	243,55	25	25							
22	287,20	267,72	25								
25	323,47	303,99	25	25							
30	383,97	364,49	30	30							
32	408,19	388,71	30	30							
38	480,85	461,37	30	30							
45	565,67	546,19	30	40							
57	711,10	691,62		40							

