


Pignoni ASA 35

3/8" x 3/16"
9,525 x 4,77 mm
06C 1 - 2

per catene a rulli secondo
DIN 8187

ISO/R 606 - ANSI B 29.1





PIGNONE mm

Raggio dente r_3	10
Larghezza raggio C	1,2
Largh. dente pign. B_1	4,4
Largh. dente pign. b_1	4,3
Largh. dente pign. B_2	14,4
Mat. C43 UNI 7847	

CATENA mm

Passo	9,525
Largh. interna	4,77
Rullo - \emptyset	5,08

z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
10	35,70	30,82	20	8	22						
11	38,69	33,80	22	8	25						
12	41,68	36,80	25	8	25						
13	44,68	39,80	28	10	25						
14	47,68	42,80	31	10	25	28	10	25			
15	50,69	45,81	34	10	25	34	10	25			
16	53,70	48,82	37	10	28	37	12	30			
17	56,72	51,83	38	10	28	40	12	30			
18	59,73	54,85	38	10	28	43	12	30			
19	62,75	57,87	46	10	28	46	12	30			
20	65,77	60,89	46	10	28	49	12	30			
21	68,79	63,91	46	10	28	52	12	30			
22	71,81	66,93	52	12	28	55	12	30			
23	74,83	69,95	52	12	28	58	12	30			
24	77,85	72,97	52	12	28	61	12	30			
25	80,88	76,00	58	12	28	64	12	30			
26	83,90	79,02	58	12	28	67	12	30			
27	86,93	82,04	58	12	28	70	12	30			
28	89,95	85,07	60	12	28	73	12	30			
30	96,00	91,12	60	12	28						




Corone ASA 35

3/8" x 3/16"
9,525 x 4,77 mm
06C 1 - 2

per catene a rulli secondo
DIN 8187

ISO/R 606 - ANSI B 29.1





CORONA mm

Raggio dente r_3	10
Larghezza raggio C	1,2
Largh. dente coro B_1	4,4
Largh. dente coro b_1	4,3
Largh. dente coro B_2	14,4

CATENA mm

Passo	9,525
Largh. interna	4,77
Rullo - \emptyset	5,08

z	d_e	d_p	S			z	d_e	d_p	S			z	d_e	d_p	S		
			D_1	D_2	D_3				D_1	D_2	D_3				D_1	D_2	D_3
30	96,00	91,12		12													
32	102,06	97,17	12														
36	114,17	109,29	12														
38	120,22	115,34	12	14													
40	126,28	121,40	12														
45	141,43	136,55	16	16													
48	150,52	145,64	16														
57	177,79	172,91	16	16													
76	235,37	230,49	20	20													




Pignoni ASA 40

1/2" x 5/16"

12,7 x 7,94 mm

08A - 1 - 2 - 3




per catene a rulli
secondo DIN 8187
ISO/R 606 - ANSI B 29.1



PIGNONE	mm
Raggio dente r_3	13,5
Larghezza raggio C	1,6
Largh. dente pign. B_1	7,4
Largh. dente pign. b_1	7,2
Largh. dente pign. B_2	21,6
Largh. dente pign. B_3	36
Mat. C43 UNI 7847	

CATENA	mm
Passo	12,7
Largh. interna	7,94
Rullo - \emptyset	7,94

z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
10	47,66	41,10	26	10	25						
11	51,64	45,08	29	10	25						
12	55,63	49,07	35	10	28	35	14	50			
13	59,63	53,07	35	10	28	38	12	35	38	14	50
14	63,63	57,07	35	10	28	42	12	35	42	14	50
15	67,64	61,08	46	10	28	46	12	35	46	14	50
16	71,66	65,10	48	10	28	50	14	35	50	16	50
17	75,68	69,12	48	10	28	54	14	35	54	16	50
18	79,70	73,14	58	12	28	58	14	35	58	16	50
19	83,72	77,16	60	12	28	62	14	35	62	16	50
20	87,74	81,18	60	12	28	66	14	35	66	16	50
21	91,77	85,21	65	12	28	70	16	40	70	20	55
22	95,80	89,24	65	12	28	70	16	40	70	20	55
23	99,83	93,27	65	12	28	70	16	40	70	20	55
24	103,86	97,30	70	14	28	75	16	40	75	20	55
25	107,89	101,33	70	14	28	80	16	40	80	20	55
26	111,92	105,36	70	14	28	85	20	40	85	20	55
27	115,96	109,40	70	16	30	85	20	40	85	20	55
28	119,99	113,43	70	16	30	90	20	40	90	20	55
30	128,06	121,50	80	16	30	100	20	40			




Corone ASA 40

1/2" x 5/16"

12,7 X 3,3 mm

08A - 1 - 2 - 3




per catene a rulli
secondo DIN 8187
ISO/R 606



CORONA	mm
Raggio dente r_3	13,5
Larghezza raggio C	1,6
Largh. dente cor. B_1	7,4
Largh. dente cor. b_1	7,2
Largh. dente cor. B_2	21,6
Largh. dente cor. B_3	36

CATENA	mm
Passo	12,7
Largh. interna	7,94
Rullo - \emptyset	7,94

z	d_e	d_p	S			z	d_e	d_p	S			z	d_e	d_p	S		
			D_1	D_2	D_3				D_1	D_2	D_3				D_1	D_2	D_3
30	128,06	121,50			20												
32	136,13	129,57		16													
38	160,35	153,79		20	25												
40	168,43	161,87		20													
42	176,50	169,94	20														
45	188,62	182,06	20	20	25												
48	200,74	194,18	20														
57	237,10	230,54	20	25	25												
76	313,88	307,32	25	25	25												
95	390,67	384,11		25													




Pignoni ASA 50

5/8" x 3/8"




15,875 x 9,52 mm
10A 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606 - ANSI B 29.1



PIGNONE	mm
Raggio dente r_3	17
Larghezza raggio C	2
Largh. dente pign. B_1	9
Largh. dente pign. b_1	8,8
Largh. dente pign. B_2	26,9
Largh. dente pign. B_3	45
Mat. C43 UNI 7847	
CATENA	mm
Passo	15,875
Largh. interna	9,52
Rullo - \emptyset	10,16

z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	47,0	41,48	25	10	25						
9	52,6	46,42	30	10	25						
10	57,5	51,37	35	10	25						
11	63,0	56,34	37	12	30						
12	68,0	61,34	42	12	30				44	16	55
13	73,0	66,32	47	12	30	49	14	40	49	16	55
14	78,0	71,34	52	12	30	54	14	40	54	16	55
15	83,0	76,36	57	12	30	59	14	40	59	16	55
16	88,0	81,37	60	12	30	64	16	45	64	16	60
17	93,0	86,39	60	12	30	69	16	45	69	16	60
18	98,3	91,42	70	14	30	74	16	45	74	16	60
19	103,3	96,45	70	14	30	79	16	45	79	16	60
20	108,4	101,49	75	14	30	84	16	45	84	16	60
21	113,4	106,52	75	16	30	85	16	45	85	20	60
22	118,0	111,55	80	16	30	90	16	45	90	20	60
23	123,4	116,58	80	16	30	95	16	45	95	20	60
24	128,3	121,62	80	16	30	100	16	45	100	20	60
25	134,0	126,66	80	16	30	105	16	45	105	20	60
26	139,0	131,70	85	20	35				110	20	60
27	144,0	136,75	85	20	35				110	20	60
28	148,7	141,78	90	20	35				115	20	60
29	153,8	146,83	90	20	35						
30	158,8	151,87	90	20	35						
31	163,9	156,92	95	20	35						
32	168,9	161,95	95	20	35						
33	174,5	167,00	95	20	35						
34	179,0	172,05	95	20	35						
35	184,1	177,10	95	20	35						
36	189,1	182,15	100	20	35						
37	194,2	187,20	100	20	35						
38	199,2	192,24	100	20	35						
39	204,2	197,29	100	20	35						
40	209,3	202,34	100	20	35						




Corone ASA 50

5/8" x 3/8"




15,875 x 9,52 mm
10A 1 - 2

per catene a rulli
secondo DIN 8187
ISO/R 606 - ANSI B 29.1



CORONA	mm
Raggio dente r_3	17
Larghezza raggio C	2
Largh. dente cor. B_1	9
Largh. dente cor. b_1	8,8
Largh. dente cor. B_2	26,9
Largh. dente cor. B_3	45
CATENA	mm
Passo	15,875
Largh. interna	9,52
Rullo - \emptyset	10,16

z	d_e	d_p	S			z	d_e	d_p	T		
			D_1	D_2	D_3				D_1	D_2	D_3
8	47,0	41,48	10			44	230,0	222,53	20		
9	52,6	46,42	10			45	235,0	227,58	20	20	25
10	57,5	51,37	10			46	240,1	232,63	20		
11	63,0	56,34	10			47	245,1	237,68	20		
12	68,0	61,34	10			48	250,2	242,73	20		
13	73,0	66,32	10			49	255,2	247,78	20		
14	78,0	71,34	10			50	260,3	252,82	20		
15	83,0	76,36	10			51	265,3	257,87	20		
16	88,0	81,37	12			52	270,4	262,92	20		
17	93,0	86,38	12			53	275,4	267,97	20		
18	98,3	91,42	12			54	280,5	273,03	20		
19	103,3	96,45	12			55	285,5	278,08	20		
20	108,4	101,49	12			56	290,6	283,13	25	25	25
21	113,4	106,52	12			57	296,0	288,18	25		
22	118,0	111,55	12			58	300,7	293,23	25		
23	123,5	116,58	12			59	305,7	298,27	25		
24	128,3	121,62	12			60	310,8	303,32	25		
25	134,0	126,66	12			62	321,4	313,43	25		
26	139,0	131,70	16			64	331,5	323,53	25		
27	144,0	136,75	16			65	336,5	328,58	25		
28	148,7	141,78	16			66	341,6	333,63	25		
29	153,8	146,83	16			68	351,7	343,74	25		
30	158,8	151,87	16	20	20	70	361,8	353,84	25		
31	163,9	156,92	16			72	371,9	363,95	25		
32	168,9	161,95	16			75	387,1	379,09	25		
33	174,5	167,00	16			76	392,1	384,16	25	25	30
34	179,0	172,05	16			78	402,2	394,25	25		
35	184,1	177,10	16			80	412,3	404,35	25		
36	189,1	182,15	20			85	437,6	429,62	30		
37	194,2	187,20	20			90	462,8	454,88	30		
38	199,2	192,24	20	20	25	95	488,5	480,14	30	30	
39	204,2	197,29	20			100	513,4	505,39	30		
40	209,3	202,34	20			110	563,9	555,92	30		
41	214,8	207,39	20			114	584,1	576,13	30		
42	219,9	212,44	20			120	614,4	606,45	30		
43	224,9	217,49	20			125	639,7	631,51	30		



Pignoni ASA 60


3/4" x 1/2"

19,05 x 12,7 mm

12A - 1 - 2 - 3

per catene a rulli
secondo DIN 8187

ISO/R 606 - ANSI B 29.1






PIGNONE mm

Raggio dente r_3	20
Larghezza raggio C	2,4
Largh. dente pign. B_1	12,0
Largh. dente pign. b_1	11,8
Largh. dente pign. B_2	34,6
Largh. dente pign. B_3	57,4
Mat. C43 UNI 7847	

CATENA mm

Passo	19,05
Largh. interna	12,7
Rullo - \emptyset	11,91

z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
10	71,54	61,64	42	12	30	42	12	45			
11	77,51	67,61	45	12	30	47	16	50			
12	83,49	73,61	45	12	30	53	16	50	53	20	70
13	89,49	79,59	60	14	35	59	16	50	59	20	70
14	95,50	85,61	60	14	35	65	16	50	65	20	70
15	101,52	91,63	60	14	35	71	16	50	71	20	70
16	107,54	97,65	75	16	35	77	20	50	77	20	70
17	113,56	103,67	75	16	35	83	20	50	83	20	70
18	119,59	109,71	75	16	35	89	20	50	89	20	70
19	125,63	115,75	80	16	35	95	20	50	95	20	70
20	131,67	121,78	80	16	35	100	20	50	100	20	70
21	137,71	127,82	80	16	35	100	20	50	100	20	70
22	143,75	133,86	90	20	40	100	20	50	100	20	70
23	149,79	139,90	90	20	40	110	20	50	110	20	70
24	155,84	145,94	90	20	40	110	20	50	110	20	70
25	161,88	152,00	90	20	40	120	20	50	120	20	70
26	167,93	158,04	90	20	40	120	20	50			
27	173,98	164,09	90	20	40	120	20	50			
28	180,03	170,13	95	20	40	120	20	50			
30	192,14	182,25	95	20	40	120	20	50			



Corone ASA 60


3/4" x 1/2"

19,05 x 12,7 mm

12A 1 - 2

per catene a rulli
secondo DIN 8187

ISO/R 606 - ANSI B 29.1






CORONA mm

Raggio dente r_3	20
Larghezza raggio C	2,4
Largh. dente cor. B_1	12,0
Largh. dente cor. b_1	11,8
Largh. dente cor. B_2	34,6
Largh. dente cor. B_3	57,4

CATENA mm

Passo	19,05
Largh. interna	12,7
Rullo - \emptyset	11,91

z	d_e	d_p	S			z	d_e	d_p	D			T		
			D_1	D_2	D_3				D_1	D_2	D_3			
30	192,14	182,25	20											
32	204,24	194,35	20											
38	240,58	230,69	20	25	25									
40	252,69	242,80	20	25										
45	282,98	273,09	25	25	25									
48	301,16	291,27	25											
57	355,70	345,81	25	25	30									
76	470,87	460,98	30	30										
95	586,06	576,17	30											



Pignoni ASA 80

1" x 5/8"


25,4 x 15,88 mm

16A 1 - 2 - 3

per catene a rulli

secondo DIN 8187

ISO/R 606 - ANSI B 29.1



PIGNONE mm

Raggio dente r_3 27

Larghezza raggio C 3,2

Largh. dente pign. B_1 15,0

Largh. dente pign. b_1 14,7

Largh. dente pign. B_2 44,0

Largh. dente pign. B_3 73,3

Mat. C43 UNI 7847




CATENA mm

Passo 25,4

Largh. interna 15,88

Rullo - \emptyset 15,88

z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	79,49	66,37	42	16	35						
9	87,38	74,27	50	16	35						
10	95,32	82,19	55	16	35						
11	103,28	90,14	61	16	40						
12	111,26	98,14	69	16	40	72	20	70	72	25	100
13	119,26	106,12	78	16	40	78	20	70	78	25	100
14	127,27	114,15	84	16	40	86	20	70	86	25	100
15	135,29	122,17	92	16	40	94	20	70	94	25	100
16	143,32	130,20	100	20	45	102	20	70	102	30	100
17	151,35	138,22	100	20	45	110	20	70	110	30	100
18	159,39	146,28	100	20	45	118	20	70	118	30	100
19	167,44	154,33	100	20	45	126	20	70	126	30	100
20	175,49	162,38	100	20	45	130	20	70	130	30	100
21	183,54	170,43	110	20	50	130	25	70			
22	191,60	178,48	110	20	50						
23	199,66	186,53	110	20	50						
24	207,72	194,59	110	20	50						
25	215,78	202,66	110	20	50						
26	223,84	210,72	120	20	50						
27	231,91	218,79	120	20	50						
28	239,98	226,85	120	20	50						
29	248,05	234,92	120	20	50						
30	256,12	243,00	120	20	50						



Corone ASA 80

1" x 5/8"


25,4 x 15,88 mm

16A 1 - 2 - 3

per catene a rulli

secondo DIN 8187

ISO/R 606 - ANSI B 29.1



CORONA mm

Raggio dente r_3 27

Larghezza raggio C 3,2

Largh. dente cor. B_1 15,0

Largh. dente cor. b_1 14,7

Largh. dente cor. B_2 44,0

Largh. dente cor. B_3 73,3




CATENA mm

Passo 25,4

Largh. interna 15,88


Rullo - \emptyset 15,88

z	d_e	d_p	S	D	T	z	d_e	d_p	S	D	T
			D_1	D_2	D_3				D_1	D_2	D_3
10	95,32	82,19	15								
11	103,28	90,14	15								
12	111,26	98,14	15								
13	119,26	106,12	15								
14	127,27	114,15	15								
15	135,29	122,17	15								
16	143,32	130,20	19								
17	151,35	138,22	19								
18	159,39	146,28	19								
19	167,44	154,33	19								
20	175,49	162,38	19								
21	183,54	170,43	20								
22	191,60	178,48	20								
23	199,66	186,53	20								
24	207,72	194,59	20								
25	215,78	202,66	20	25	30						
26	223,84	210,72	20								
27	231,91	218,79	20								
28	239,98	226,85	20								
30	256,12	243,00	20	25	30						
32	272,26	259,13	25								
35	296,48	283,36	25								
38	320,70	307,59	25	25	30						
45	377,24	364,12	25	25	30						
50	417,64	404,52	25								
57	474,20	461,08	25	25	40						
76	627,80	614,64	25	25	40						



Pignoni ASA 100 1"1/4 x 3/4" 31,75 x 19,05 mm 20A 1 - 2




per catene a rulli
secondo DIN 8187
ISO/R 606 - ANSI B 29.1



PIGNONE	mm
Raggio dente r_3	33,5
Larghezza raggio C	4
Largh. dente pign. B_1	18,0
Largh. dente pign. b_1	17,7
Largh. dente pign. B_2	53,5
Largh. dente pign. B_3	89,2
Mat. C43 UNI 7847	


CATENA	mm
Passo	31,75
Largh. interna	19,05
Rullo - \emptyset	19,05

z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	98,1	82,96	53	20	40						
9	108,0	92,84	63	20	40						
10	117,9	102,74	70	20	40						
11	127,8	112,68	77	20	45						
12	137,8	122,68	88	20	45	90	20	80			
13	147,8	132,65	98	20	45	100	20	80			
14	157,8	142,68	108	20	45	110	20	80			
15	167,9	152,72	118	20	45	120	20	80			
16	177,9	162,75	120	25	50	120	25	80			
17	187,9	172,78	120	25	50	120	25	80			
18	198,0	182,85	120	25	50						
19	208,1	192,91	120	25	50						
20	218,1	202,98	120	25	50						
21	228,2	213,04	140	25	55						
22	238,3	223,11	140	25	55						
23	248,3	233,17	140	25	55						
24	258,4	243,23	140	25	55						
25	268,5	253,33	140	25	55						



Corone ASA 100 1"1/4 x 3/4" 31,75 x 19,05 mm 20A 1 - 2




per catene a rulli
secondo DIN 8187
ISO/R 606 - ANSI B 29.1



CORONA	mm
Raggio dente r_3	33,5
Larghezza raggio C	4
Largh. dente cor. B_1	18,0
Largh. dente cor. b_1	17,7
Largh. dente cor. B_2	53,5
Largh. dente cor. B_3	89,2

CATENA	mm
Passo	31,75
Largh. interna	19,05
Rullo - \emptyset	19,05


z	d_e	d_p	S	D	T	z	d_e	d_p	S	D	T
			D_1	D_2	D_3				D_1	D_2	D_3
8	98,1	82,96	16								
9	108,0	92,84	16								
10	117,9	102,74	16								
11	127,8	112,68	16								
12	137,8	122,68	20								
13	147,8	132,65	20								
14	157,8	142,68	20								
15	167,9	152,72	20								
16	177,9	162,75	25								
17	187,9	172,78	25								
18	198,0	182,85	25								
19	208,1	192,91	25	25							
20	218,1	202,98	25	25							
21	228,2	213,04	25	25							
22	238,3	223,11	25	25							
23	248,3	233,17	25								
24	258,4	243,23	25								
25	268,5	253,33	25	25							
26	278,6	263,40	25	25							
27	288,6	273,40	25	25							
28	298,7	283,56	25								
29	308,8	293,65	25								
30	318,9	303,75	25	25							
31	329,0	313,85	25	25							
32	339,1	323,91	25	25							
33	349,2	334,01	25								
34	359,3	344,10	25								
35	369,4	354,20	25								
36	379,5	364,30	25								
37	389,5	374,39	25								
38	399,6	384,49	25	30							
39	409,7	394,59	25	30							
40	419,8	404,68	25	30							
45	470,3	455,17	30	30							
57	591,5	576,36	30	30							



Pignoni ASA 120 1"1/2 x 1"

38,1 x 25,4 mm
24A 1 - 2

per catene a rulli
secondo DIN 8187
ISO/R 606 - ANSI B 29.1





PIGNONE mm

Raggio dente r_3	40,5
Larghezza raggio C	4,8
Largh. dente pign. B_1	24,1
Largh. dente pign. b_1	23,6
Largh. dente pign. B_2	69,0
Mat. C43 UNI 7847	

CATENA mm

Passo	38,1
Largh. interna	25,4
Rullo - \emptyset	22,22


z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	119,04	99,55	58	20	45						
9	130,88	111,40	70	20	45						
10	142,77	123,29	80	20	45						
11	154,71	135,21	90	25	50						
12	166,69	147,22	102	25	50	102	25	100			
13	178,68	159,18	114	25	50	114	25	100			
14	190,70	171,22	128	25	50	128	25	100			
15	202,73	183,26	140	25	50	140	25	100			



Corone ASA 120 1"1/2 x 1"

38,1 x 25,4 mm
24A 1 - 2

per catene a rulli
secondo DIN 8187
ISO/R 606 - ANSI B 29.1



CORONA mm

Raggio dente r_3	40,5
Larghezza raggio C	4,8
Largh. dente cor. B_1	24,1
Largh. dente cor. b_1	23,6
Largh. dente cor. B_2	69,0

CATENA mm

Passo	38,1
Largh. interna	25,4
Rullo - \emptyset	22,22

z	d_e	d_p	S	D	T	z	d_e	d_p	S	D	T
			D_1	D_2	D_3				D_1	D_2	D_3
16	214,77	195,29	25								
17	226,83	207,35	25	25							
18	238,89	219,41	25	25							
20	263,03	243,55	25	25							
22	287,20	267,72	25								
25	323,47	303,99	25	25							
30	383,97	364,49	30	30							
32	408,19	388,71	30	30							
38	480,85	461,37	30	30							
45	565,67	546,19	30	40							
57	711,10	691,62		40							

